



Breaking Ground

Foundation

A collection that embodies
the essential strength and elegant
structure upon which success is built.

Carpets Inter®

www.carpetsinter.com

Foundation

Every great achievement starts
with a strong Foundation.

Whether you're launching a product,
designing a space, or scaling your brand,
the strength of your foundation determines
the height of your success. Introducing
Breaking Ground - Foundation,
a timeless design embodied with effortless
sophistication, and sustainable materials.
Like the base of any architectural masterpiece,
Foundation is the starting point that
ensures your business is built to last.



FD01 Root





Start strong. Build with Foundation.

Every lasting success begins with a solid base. Breaking Ground - Foundation is a refined design rooted in our commitment to sustainability and the environment. Crafted to elevate your space and support your business from the ground up. Whether you're shaping a brand or building a business, Foundation adds character, cohesion, and confidence.

FD03 Base



FD02 Origin



The **Foundation** carpet tile collection provides the strong, sustainable base you need to succeed.

Build your space from the ground up.

It delivers effortless sophistication
and commercial-grade durability,
making it the perfect choice for offices
that demand both great design and
lasting performance.

FD06 Rebar

Foundation

Carpet Tile Collection

Specifications


CONSTRUCTION	Multi-Level Textured Loop	Multi-Level Textured Loop
PILE FIBER	100% Solution Dyed Nylon	100% Solution Dyed Nylon
TUFTING GAUGE	1/12 inch	1/12 inch
PILE HEIGHT	3,0 - 5,5 mm.	3,0 - 5,5 mm.
TOTAL CARPET WEIGHT	3,422 gram/sq.m.	2,812 gram/sq.m.
BACKING STRUCTURE	 EcoSquare® Reinforced Recycled Hard Back	 EcoSoft® Recycled PET Cushion Back
PILE TREATMENT	Stain and Soil Protection	Stain and Soil Protection
STANDARD MODULE SIZE	50 x 50 cm.	50 x 50 cm.



Specifications are subject to normal manufacturing tolerances, and subject to change without prior notice. As in all quality carpets, colors are subject to dye lot variations.

Installation Method

50 x 50 cm.



FD01 Root

FD02 Origin

FD03 Base

FD04 Anchor

FD05 Core

FD06 Rebar








Carpets Inter®

Address

Carpets International Thailand PLC.
2054 New Petchburi Road,
Bangkapi, Huaykwang,
Bangkok 10310 Thailand

Social

-  www.linkedin.com/company/carpetinter
-  www.instagram.com/carpets_inter
-  www.vimeo.com/carpetsinter
-  www.pinterest.com/carpetsinter
-  LINE ID: @carpetsinter

Tel: +66(0)2314-5402
E-mail: info@carpetsinter.com
Website: www.carpetsinter.com



Learn More